

What is claimed is:

1. An oligonucleotide which hybridizes to a non-transcribed spacer sequence between rRNA genes of an organism of the genus *Perkinsus* being assayed, wherein said organism of genus *Perkinsus* contains a nucleotide base sequence selected from the group consisting of the sequences shown in Fig 2,3,4 and 17.
2. A method of making an oligonucleotide for use in assaying a target organism of the genus *Perkinsus* comprising the steps of:
  - (i) extracting DNA from said target organism
  - (ii) isolating from said DNA a non-transcribed spacer sequence flanked by rRNA genes;
  - (iii) sequencing said non-transcribed spacer sequence; and
  - (iv) synthesizing an oligonucleotide having a nucleic acid sequence as shown in Fig 17.
3. A kit for determining the identity of species of a microorganism of the genus *Perkinsus*, comprising a container having outwardly directed PCR primer pairs to a nontranscribed spacer sequence flanked by rRNA genes, said primer pairs, having a nucleic acid sequence selected from the group consisting of sequences shown in Figs. 2,3,4 and Fig. 17.
4. The oligonucleotide of claim 1 wherein said organism is *Perkinsus atlanticus*
5. The oligonucleotide of claim 4 wherein said nucleotide base of said organism sequence is shown in Fig. 17.
6. The oligonucleotide of claim 1 wherein said organism is *Perkinsus andrewsi*
7. The oligonucleotide of claim 6, wherein said nucleotide base sequence of said organism is shown in Fig. 3.
8. The oligonucleotide of claim 1, wherein said organism is *Perkinsus mackini*.
9. The oligonucleotide of claim 1 wherein said oligonucleotide is one of a pair of PCR primers, or complement thereof.

7. The oligonucleotide of claim 6, wherein said nucleotide base sequence of said organism is shown in Fig. 3.

8. The oligonucleotide of claim 1, wherein said organism is *Perkinsus mackini*

9. The oligonucleotide of claim 1 wherein said oligonucleotide is one of a pair of PCR primers, or complement thereof.

10. The oligonucleotide of claim 9, wherein said oligonucleotide is between about 10 to 35 nucleotides in length.

11. The oligonucleotide of claim 9, wherein said oligonucleotide is between about 15 to 24 nucleotides in length.

12. The oligonucleotide of claim 9 wherein said PCR primers or complement thereof are selected from the group consisting of:

CAC TTG TAT TGT GAA GCA CCC  
TTG GTG ACA TCT CCA AAT GAC  
ATG CTA TGG TTG GTT GCG GAC C  
GTA GCA AGC CGT AGA ACA GC  
AAG TCG AAT TGG AGG CGT GGT GAC  
ATT GTG TAA CCA CCC CAG GC  
TAG TAC CCG CTC ATT GTG G  
TGC AAT GCT TGC GAG CT  
AGT TGG ATT TCT GCC TTG GGC G  
ACC AGG TCC AGA CAT AGG AAG G

identifying said nontranscribed spacer sequences within said library using a probe specific for one of said rRNA genes.

18. The method of claim 2, wherein said oligonucleotide is one of a pair of PCR primers or complement thereof.

19. The kit of claim 3, wherein said microorganism is the genus *Perkinsus*.

20. The kit of claim 3 wherein said PCR primers pairs or complement thereof are selected from the group consisting of sequences as shown in Figs. 20 and 21.

Add B1